

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR.

BRAZIL.

Pernambuco-Epidemic Yellow Fever.

Consul Griffith reports April 2: Yellow fever is present in Pernambuco in epidemic form, with more than 60 reported cases.

CHINA.

Hongkong-Plague and Smallpox-Plague-infected Rats.

Surg. Brown reports: During the week ended March 30, 1912, 27 cases of plague with 21 deaths and 20 cases of smallpox with 12 deaths were reported at Hongkong.

During the same period 2,205 rats were examined for plague infec-

tion. Two plague-infected rats were found.

GREECE.

Cerebrospinal Meningitis.

Consul General Gale at Athens reports: During the week ended April 20, 1912, 33 cases of cerebrospinal meningitis, occurring in 11 places, were reported in Greece.

HAWAII.

Record of Plague Infection.

The last case of human plague at Honolulu occurred July 12, 1910. The last plague-infected rat was found at Aiea, 9 miles from Honolulu, April 12, 1910.

A case of human plague was reported at Kapulena, Hawaii, October

28, 1911.

At Hilo the last case of human plague occurred March 23, 1910. At Honokaa, 60 miles from Hilo, a fatal case occurred February 9, 1912; 2 fatal cases February 25, 1912; and a fatal case March 18, 1912. During the week ended March 2, 1912, 49 plague-infected rats were found. The last plague-infected rat was found April 17, 1912. At Hilo a plague-infected rat was found during the week ended June 10, 1911, and 2 plague-infected rats were reported found February 29, 1912.

Honolulu-Plague-prevention Work.

Chief Quarantine Officer Trotter reports:

Week ended Apr. 20, 1912.

• •	
Total rats and mongoose taken	564
Rats trapped	557
Mongoose trapped	7
Rats examined bacteriologically	469
Classification of rats trapped:	
Mus alexandrianus	56
Mus musculus	
Mus norvegicus	67
Mus rattuš	334
Average number of traps set daily.	1.720